



Leading range :
livestock, spreading, transport

Livestock
equipment



www.jeantil.com

For more than 4 generations, Jeantil has designed and built machineries dedicated to agriculture and livestock.

Trailblazer in the realm of precision spreading, self-regulated bale unrolling, slurry disc injectors, its know-know is now widely recognized in France as well as abroad.

Jeantil also means constant innovation, building French high quality products, high precision technology dedicated to reliable and efficient mechanics.

Jeantil, the **specialist** in livestock equipment

Jeantil has been committed for a long time in technical progress and guarantees you precision, regularity and care of the products with its whole range of livestock equipment.



		D 1650, 2000 and 2400	DM 12L, 16 and 18	PR 2000	PR/DPR 4000	PR/DPR 6000 PR 8000	PR 10000
		- 1 hydraulic shredder - automatic door opening - 2-chain moving floor - electric controls	- 2 mechanical shredders - right- or left-hand side distribution belt - 2-chain moving floor - direct controls on tractor or electric controls	- 1 mechanical shredder - multifunctional chute - 2-chain moving floor - direct controls on tractor or electric controls	- 1 mechanical or hydraulic shredder - multifunctional chute or direct discharge - 2-chain moving floor - electric controls	- 2 hydraulic shredders - multifunctional chute or direct discharge - 2-chain moving floor - SMART electric controls	- 3 hydraulic shredders - multifunctional chute or direct discharge - 2-chain moving floor - SMART electric controls
Silage	Maize	+++	+++	+++	+++	+++	+++
	Grass	++	++	++	++	+++	+++
Straw	Round bales			+++	+++	+++	+++
	Square bales			+++	++	+++	+++
Hay	Round bales			+++	+++	++	++
	Square bales			++	++	++	++
	Bulk		+++	+++	+++	++	++
Wrapped bales short blades	Round bales			++	+++	+	
	Square bales			+	+		
Wrapped bales long blades	Round bales			++	+++	+	
	Square bales			+	+		

Possible (please check with us) +
Favourable ++
Very favourable +++

PR 2000 the efficient straw blower even with wrapped bales



PR 2000


- useful volume 2 m³
- smooth and parabolic body, 1.35 m wide
- fixed multifunctional chute
- mechanical shredder with knives
- oil bath chain drive
- turbine with 8 dismountable paddles
- 2-speed gearbox (distribution and straw-blowing)
- 2 chains ø 12 mm hydraulic moving floor
- direct controls on tractor
- electric controls for the chute
- hydraulic rear door
- transmission with free wheel and friction safety device
- compliant with CE standards

Available options

- swivelling chute
- electric cap for the chute
- wheels and coupling
- electric divider (for direct controls)
- electric controls
- anti-projection flap
- road lights
- double controls for the rear door
- door extension, 0.45 or 1.00 m long



		PR 2000	PR 2000 semi-trailed
Volume (m ³)		2,00	2,00
Empty weight (kg)		1380,00	1480,00
A	Overall length (m)	2,70	3,82
B	Inside body length (m)	1,70	1,70
C	Inside body width (m)	1,35	1,35
D	Overall width (m)	1,79	2,00
E	Inside body height (m)	1,10	1,10
F	Minimum distribution height (m)	1,22	1,45
G	Maximum distribution height (m)	2,42	2,70
H	Overall height (m)	2,83	2,98



PR 2000

PR 2000 the reference straw-blower

The PR 2000 is a 2 m³ capacity straw blower dedicated to livestock farmers who require a multi-purpose and easy-to-use straw blower, with direct controls on tractor or electric controls. Its mechanical shredder ensures a shredding quality with all products, even with wrapped bales.



An innovative rear door

Rear door with 2 dual acting cylinders. V-designed door allowing to load a second round bale on stand-by. Extensions 0.45 or 1.00 m long available for square bales.



High-performance shredder

The shredder with knives supplies the turbine with all types of products regularly. The mechanical drive ensures a high power shredding.



An accurate distribution and straw blowing

Multifunctional chute with electric controls. Cap with electric controls and swivelling chute are available to ensure distribution and straw blowing in all conditions.



Total mastering of straw blowing and distribution

Thanks to the BASIC electric controls, the straw blower is accurately controlled. Double controls for the rear door make the loading easier.

A regular unloading

2-chain belt with bolted slats.

A robust body

Smooth and rounded body which improves emptying and makes the machine more robust.